

# Package ‘dashboardthemes’

July 22, 2025

**Type** Package

**Title** Customise the Appearance of 'shinydashboard' Applications using Themes

**Version** 1.1.6

**Maintainer** Nik Lilovski <nik.lilovski@outlook.com>

**Description** Allows manual creation of themes and logos to be used in applications created using the 'shinydashboard' package. Removes the need to change the underlying css code by wrapping it into a set of convenient R functions.

**URL** <https://github.com/nik01010/dashboardthemes>

**BugReports** <https://github.com/nik01010/dashboardthemes/issues>

**Depends** R (>= 3.2.3)

**Imports** htmltools (>= 0.3.5)

**Suggests** testthat, linter, knitr, rmarkdown, glue, covr

**License** MIT + file LICENSE

**Encoding** UTF-8

**RoxygenNote** 7.2.0

**VignetteBuilder** knitr

**NeedsCompilation** no

**Author** Nik Lilovski [aut, cre]

**Repository** CRAN

**Date/Publication** 2022-07-13 18:20:02 UTC

## Contents

cssGradientThreeColors	2
dashboardthemes	3
logo_blue_gradient	4
logo_flat_red	4

logo_grey_dark . . . . .	5
logo_grey_light . . . . .	5
logo_onenote . . . . .	6
logo_poor_mans_flatly . . . . .	6
logo_purple_gradient . . . . .	7
shinyDashboardLogo . . . . .	8
shinyDashboardLogoDIY . . . . .	9
shinyDashboardThemeDIY . . . . .	10
shinyDashboardThemes . . . . .	18
theme_blue_gradient . . . . .	19
theme_flat_red . . . . .	20
theme_grey_dark . . . . .	20
theme_grey_light . . . . .	21
theme_onenote . . . . .	21
theme_poor_mans_flatly . . . . .	22
theme_purple_gradient . . . . .	22

## Index 23

---

cssGradientThreeColors

*cssGradientThreeColors*

---

### Description

Generates CSS code for a gradient with three colors

### Usage

```
cssGradientThreeColors(
  direction = "down",
  colorStart,
  colorMiddle,
  colorEnd,
  colorStartPos = 0,
  colorMiddlePos = 50,
  colorEndPos = 100
)
```

### Arguments

direction	String. Direction of the gradient (down/right). Defaults to down.
colorStart	String. Start (top/left) colour of the gradient.
colorMiddle	String. Middle colour of the gradient.
colorEnd	String. End (bottom/right) colour of the gradient.
colorStartPos	Numeric. Position of the start colour. Defaults to 0.
colorMiddlePos	Numeric. Position of the middle colour. Defaults to 50.
colorEndPos	Numeric. Position of the end colour; defaults to 100.

**Value**

CSS code. Gradient with three colors.

**See Also**

[shinyDashboardThemeDIY](#), [shinyDashboardLogoDIY](#),

**Examples**

```
cssGradientThreeColors(  
  direction = "right"  
  ,colorStart = "rgba(44,222,235,1)"  
  ,colorMiddle = "rgba(44,222,235,1)"  
  ,colorEnd = "rgba(0,255,213,1)"  
  ,colorStartPos = 0  
  ,colorMiddlePos = 30  
  ,colorEndPos = 100  
)
```

---

dashboardthemes

*dashboardthemes: a package for custom themes in shinydashboard applications*

---

**Description**

The dashboardthemes package provides two main important features:

- Using new pre-defined themes and logos for dashboards.
- Creating custom themes and logos for dashboards.

**Available functions**

The available functions are:

- [shinyDashboardThemes](#): Calls a custom theme created using shinyDashboardThemeDIY.
- [shinyDashboardLogo](#): Calls a custom logo created using shinyDashboardLogoDIY.
- [shinyDashboardThemeDIY](#): Creates a custom theme object.
- [shinyDashboardLogoDIY](#): Creates a custom logo object. Inspired from [here](#).
- [cssGradientThreeColors](#): Creates a three colour gradient to be used in themes.

---

logo\_blue\_gradient      *logo\_blue\_gradient*

---

**Description**

Blue Gradient logo for a shinydashboard application

**Usage**

```
logo_blue_gradient(boldText = "Shiny", mainText = "App", badgeText = "v1.1")
```

**Arguments**

boldText	String. Bold text for the logo.
mainText	String. Main text for the logo.
badgeText	String. Text for the logo badge.

**Value**

Object produced by shinyDashboardLogoDIY

**See Also**

[shinyDashboardLogoDIY](#)

---

logo\_flat\_red      *logo\_flat\_red*

---

**Description**

Flat Red logo for a shinydashboard application

**Usage**

```
logo_flat_red(boldText = "Shiny", mainText = "App", badgeText = "v1.1")
```

**Arguments**

boldText	String. Bold text for the logo.
mainText	String. Main text for the logo.
badgeText	String. Text for the logo badge.

**Value**

Object produced by shinyDashboardLogoDIY

**See Also**[shinyDashboardLogoDIY](#)

---

logo_grey_dark	<i>logo_grey_dark</i>
----------------	-----------------------

---

**Description**

Grey Dark logo for a shinydashboard application

**Usage**

```
logo_grey_dark(boldText = "Shiny", mainText = "App", badgeText = "v1.1")
```

**Arguments**

boldText	String. Bold text for the logo.
mainText	String. Main text for the logo.
badgeText	String. Text for the logo badge.

**Value**

Object produced by shinyDashboardLogoDIY

**See Also**[shinyDashboardLogoDIY](#)

---

logo_grey_light	<i>logo_grey_light</i>
-----------------	------------------------

---

**Description**

Grey Light logo for a shinydashboard application

**Usage**

```
logo_grey_light(boldText = "Shiny", mainText = "App", badgeText = "v1.1")
```

**Arguments**

boldText	String. Bold text for the logo.
mainText	String. Main text for the logo.
badgeText	String. Text for the logo badge.

**Value**

Object produced by shinyDashboardLogoDIY

**See Also**

[shinyDashboardLogoDIY](#)

---

logo_onenote	<i>logo_onenote</i>
--------------	---------------------

---

**Description**

OneNote logo for a shinydashboard application

**Usage**

```
logo_onenote(boldText = "Shiny", mainText = "App", badgeText = "v1.1")
```

**Arguments**

boldText	String. Bold text for the logo.
mainText	String. Main text for the logo.
badgeText	String. Text for the logo badge.

**Value**

Object produced by shinyDashboardLogoDIY

**See Also**

[shinyDashboardLogoDIY](#)

---

logo_poor_mans_flatly	<i>logo_poor_mans_flatly</i>
-----------------------	------------------------------

---

**Description**

Poor Man's Flatly logo for a shinydashboard application

**Usage**

```
logo_poor_mans_flatly(boldText = "Shiny", mainText = "App", badgeText = "v1.1")
```

### Arguments

<code>boldText</code>	String. Bold text for the logo.
<code>mainText</code>	String. Main text for the logo.
<code>badgeText</code>	String. Text for the logo badge.

### Value

Object produced by `shinyDashboardLogoDIY`

### See Also

[shinyDashboardLogoDIY](#)

---

`logo_purple_gradient` *logo\_purple\_gradient*

---

### Description

Purple Gradient logo for a shinydashboard application

### Usage

```
logo_purple_gradient(boldText = "Shiny", mainText = "App", badgeText = "v1.1")
```

### Arguments

<code>boldText</code>	String. Bold text for the logo.
<code>mainText</code>	String. Main text for the logo.
<code>badgeText</code>	String. Text for the logo badge.

### Value

Object produced by `shinyDashboardLogoDIY`

### See Also

[shinyDashboardLogoDIY](#)

---

shinyDashboardLogo     *shinyDashboardLogo*

---

## Description

Calls a custom logo object created using shinyDashboardLogoDIY

## Usage

```
shinyDashboardLogo(  
  theme,  
  boldText = "Shiny",  
  mainText = "App",  
  badgeText = "v1.1"  
)
```

## Arguments

theme	String. Name of theme to be used
boldText	String. Bold text for the logo.
mainText	String. Main text for the logo.
badgeText	String. Text for the logo badge.

## Value

HTML code. Logo for shinydashboard's sidebar.

## Note

This logo design was inspired from <http://www.dataseries.org/>.

## See Also

[shinyDashboardLogoDIY](#), [shinyDashboardThemes](#)

## Examples

```
#...  
### ui  
#ui <- dashboardPage(  
  
  ### ui header  
  #dashboardHeader(  
  
    ### changing logo  
    title = shinyDashboardLogo(  
      theme = "blue_gradient",  
      boldText = "Shiny",
```



```
    mainText = "App",  
    badgeText = "v1.1"  
  )  
  #...
```

---

shinyDashboardLogoDIY *shinyDashboardLogoDIY*

---

## Description

Creates a custom logo object for a shinydashboard application

## Usage

```
shinyDashboardLogoDIY(  
  boldText,  
  mainText,  
  textSize = 15,  
  badgeText,  
  badgeTextColor,  
  badgeTextSize = 2,  
  badgeBackColor,  
  badgeBorderRadius = 3  
)
```

## Arguments

<code>boldText</code>	String. Bold text for the logo.
<code>mainText</code>	String. Main text for the logo.
<code>textSize</code>	Numeric. Text size for the logo. Defaults to 15.
<code>badgeText</code>	String. Text for the logo badge.
<code>badgeTextColor</code>	String. Text color of the logo badge.
<code>badgeTextSize</code>	Numeric. Text color of the logo badge. Defaults to 2.
<code>badgeBackColor</code>	String. Background color of the logo badge.
<code>badgeBorderRadius</code>	Numeric. Border radius of the logo badge. Defaults to 3.

## Value

HTML code. Logo for shinydashboard's sidebar.

## Note

This logo design was inspired from <http://www.dataseries.org/>.

**See Also**

[shinyDashboardLogo](#), [cssGradientThreeColors](#)

**Examples**

```
customLogo <- shinyDashboardLogoDIY(  
  boldText = "SD"  
  ,mainText = "Themes"  
  ,textSize = 16  
  ,badgeText = "v1.1"  
  ,badgeTextColor = "white"  
  ,badgeTextSize = 2  
  ,badgeBackColor = "#40E0D0"  
  ,badgeBorderRadius = 3  
)
```

---

shinyDashboardThemeDIY

*shinyDashboardThemeDIY*

---

**Description**

Creates a custom theme object for a shinydashboard application

**Usage**

```
shinyDashboardThemeDIY(  
  appFontFamily,  
  appFontColor,  
  logoBackColor,  
  bodyBackColor,  
  headerButtonBackColor,  
  headerButtonIconColor,  
  headerButtonBackColorHover,  
  headerButtonIconColorHover,  
  headerBackColor,  
  headerBoxShadowColor,  
  headerBoxShadowSize,  
  sidebarBackColor,  
  sidebarPadding,  
  sidebarShadowRadius,  
  sidebarShadowColor,  
  sidebarMenuBackColor,  
  sidebarMenuPadding,  
  sidebarMenuBorderRadius,  
  sidebarUserTextColor,
```

```
sidebarSearchBackColor,  
sidebarSearchIconColor,  
sidebarSearchBorderColor,  
sidebarTabTextColor,  
sidebarTabTextSize,  
sidebarTabBorderStyle,  
sidebarTabBorderColor,  
sidebarTabBorderWidth,  
sidebarTabBackColorSelected,  
sidebarTabTextColorSelected,  
sidebarTabRadiusSelected,  
sidebarTabTextColorHover,  
sidebarTabBackColorHover,  
sidebarTabBorderStyleHover,  
sidebarTabBorderColorHover,  
sidebarTabBorderWidthHover,  
sidebarTabRadiusHover,  
boxBackColor,  
boxBorderRadius,  
boxShadowSize,  
boxShadowColor,  
boxTitleSize,  
boxDefaultColor,  
boxPrimaryColor,  
boxSuccessColor,  
boxWarningColor,  
boxDangerColor,  
tabBoxTabColor,  
tabBoxTabTextSize,  
tabBoxTabTextColor,  
tabBoxTabTextColorSelected,  
tabBoxBackColor,  
tabBoxHighlightColor,  
tabBoxBorderRadius,  
buttonBackColor,  
buttonTextColor,  
buttonBorderColor,  
buttonBorderRadius,  
buttonBackColorHover,  
buttonTextColorHover,  
buttonBorderColorHover,  
buttonHeight = "auto",  
buttonPadding = "6px 12px",  
textboxBackColor,  
textboxBorderColor,  
textboxBorderRadius,  
textboxBackColorSelect,  
textboxBorderColorSelect,
```

```

    textboxHeight = "auto",
    textboxPadding = "6px 12px",
    tableBackColor,
    tableBorderColor,
    tableBorderTopSize,
    tableBorderRowSize,
    primaryFontColor = "auto",
    successFontColor = "auto",
    warningFontColor = "auto",
    dangerFontColor = "auto",
    infoFontColor = "auto",
    boxInfoColor = "auto"
  )

```

### Arguments

**appFontFamily** String. Application font.  
**appFontColor** String. Application font colour.  
**logoBackColor** String. Logo background colour.  
**bodyBackColor** String. Main page background colour.  
**headerButtonBackColor**  
 String. Sidebar toggle button background colour.  
**headerButtonIconColor**  
 String. Sidebar toggle button icon colour.  
**headerButtonBackColorHover**  
 String. Sidebar toggle button background colour: hovered.  
**headerButtonIconColorHover**  
 String. Sidebar toggle button icon colour: hovered.  
**headerBackColor**  
 String. Top header background colour.  
**headerBoxShadowColor**  
 String. Top header shadow colour.  
**headerBoxShadowSize**  
 String. Top header shadow size.  
**sidebarBackColor**  
 String. Sidebar background colour.  
**sidebarPadding** Numeric. Sidebar inner padding.  
**sidebarShadowRadius**  
 String. Sidebar shadow radius.  
**sidebarShadowColor**  
 String. Sidebar shadow colour.  
**sidebarMenuBackColor**  
 String. Sidebar menu background colour.  
**sidebarMenuPadding**  
 Numeric. Sidebar menu inner padding.

sidebarMenuBorderRadius  
Numeric. Sidebar menu shape radius.

sidebarUserTextColor  
String. Sidebar userbox text colour.

sidebarSearchBackColor  
String. Sidebar searchbox background colour.

sidebarSearchIconColor  
String. Sidebar searchbox icon colour.

sidebarSearchBorderColor  
String. Sidebar searchbox border line colour.

sidebarTabTextColor  
String. Sidebar tab font colour.

sidebarTabTextSize  
Numeric. Sidebar tab font size.

sidebarTabBorderStyle  
String. Sidebar tab border line style.

sidebarTabBorderColor  
String. Sidebar tab border line colour.

sidebarTabBorderWidth  
Numeric. Sidebar tab border line width.

sidebarTabBackColorSelected  
String. Sidebar tab background colour: selected.

sidebarTabTextColorSelected  
String. Sidebar tab font colour: selected.

sidebarTabRadiusSelected  
String. Sidebar tab shape radius: selected.

sidebarTabTextColorHover  
String. Sidebar tab font colour: hovered.

sidebarTabBackColorHover  
String. Sidebar tab background colour: hovered.

sidebarTabBorderStyleHover  
String. Sidebar tab border line style: hovered.

sidebarTabBorderColorHover  
String. Sidebar tab border line colour: hovered.

sidebarTabBorderWidthHover  
Numeric. Sidebar tab border line width: hovered.

sidebarTabRadiusHover  
String. Sidebar tab shape radius: hovered.

boxBackColor  
String. Box background colour.

boxBorderRadius  
Numeric. Box shape radius.

boxShadowSize  
String. Box shadow size.

boxShadowColor  
String. Box shadow colour.

boxTitleSize  
Numeric. Box title font size.

<code>boxDefaultColor</code>	String. Box default highlight colour.
<code>boxPrimaryColor</code>	String. Box primary highlight colour.
<code>boxSuccessColor</code>	String. Box success highlight colour.
<code>boxWarningColor</code>	String. Box warning highlight colour.
<code>boxDangerColor</code>	String. Box danger highlight colour.
<code>tabBoxTabColor</code>	String. Tab box tab background colour.
<code>tabBoxTabTextSize</code>	Numeric. Tab box tab font size.
<code>tabBoxTabTextColor</code>	String. Tab box tab font colour.
<code>tabBoxTabTextColorSelected</code>	String. Tab box tab font colour: selected.
<code>tabBoxBackColor</code>	String. Tab box body background colour.
<code>tabBoxHighlightColor</code>	String. Tab box highlight colour.
<code>tabBoxBorderRadius</code>	Numeric. Tab box shape radius.
<code>buttonBackColor</code>	String. Button background colour.
<code>buttonTextColor</code>	String. Button font colour.
<code>buttonBorderColor</code>	String. Button border line colour.
<code>buttonBorderRadius</code>	Numeric. Button shape radius.
<code>buttonBackColorHover</code>	String. Button background colour: hovered.
<code>buttonTextColorHover</code>	String. Button font colour: hovered.
<code>buttonBorderColorHover</code>	String. Button border line colour: hovered.
<code>buttonHeight</code>	Numeric. Button shape height.
<code>buttonPadding</code>	String. Button label padding. Defaults to "6px 12px".
<code>textboxBackColor</code>	String. Textbox background colour.
<code>textboxBorderColor</code>	String. Textbox border line colour.
<code>textboxBorderRadius</code>	Numeric. Textbox shape radius.

textboxBackColorSelect String. Textbox background colour: selected.  
 textboxBorderColorSelect String. Textbox border line colour: selected.  
 textboxHeight Numeric. Textbox shape height.  
 textboxPadding String. Textbox text padding. Defaults to "6px 12px".  
 tableBackColor String. Table background colour.  
 tableBorderColor String. Table border line colour.  
 tableBorderTopSize Numeric. Table header line size.  
 tableBorderRowSize Numeric. Table row separator line size.  
 primaryFontColor String. Primary status highlight font colour.  
 successFontColor String. Success status highlight font colour.  
 warningFontColor String. Warning status highlight font colour.  
 dangerFontColor String. Danger status highlight font colour.  
 infoFontColor String. Info status highlight font colour.  
 boxInfoColor String. Box info highlight colour.

**Value**

CSS code. Theme for a shinydashboard application.

**See Also**

[shinyDashboardThemes](#), [shinyDashboardLogoDIY](#), [cssGradientThreeColors](#)

**Examples**

```

customTheme <- shinyDashboardThemeDIY(

  ### general
  appFontFamily = "Arial"
  ,appFontColor = "rgb(0,0,0)"
  ,primaryFontColor = "rgb(0,0,0)"
  ,infoFontColor = "rgb(0,0,0)"
  ,successFontColor = "rgb(0,0,0)"
  ,warningFontColor = "rgb(0,0,0)"
  ,dangerFontColor = "rgb(0,0,0)"
  ,bodyBackColor = "rgb(248,248,248)"

  ### header

```

```

,logoBackColor = "rgb(23,103,124)"

,headerButtonBackColor = "rgb(238,238,238)"
,headerButtonIconColor = "rgb(75,75,75)"
,headerButtonBackColorHover = "rgb(210,210,210)"
,headerButtonIconColorHover = "rgb(0,0,0)"

,headerBackColor = "rgb(238,238,238)"
,headerBoxShadowColor = "#aaaaaa"
,headerBoxShadowSize = "2px 2px 2px"

### sidebar
,sidebarBackColor = cssGradientThreeColors(
  direction = "down"
  ,colorStart = "rgb(20,97,117)"
  ,colorMiddle = "rgb(56,161,187)"
  ,colorEnd = "rgb(3,22,56)"
  ,colorStartPos = 0
  ,colorMiddlePos = 50
  ,colorEndPos = 100
)
,sidebarPadding = 0

,sidebarMenuBackColor = "transparent"
,sidebarMenuPadding = 0
,sidebarMenuBorderRadius = 0

,sidebarShadowRadius = "3px 5px 5px"
,sidebarShadowColor = "#aaaaaa"

,sidebarUserTextColor = "rgb(255,255,255)"

,sidebarSearchBackColor = "rgb(55,72,80)"
,sidebarSearchIconColor = "rgb(153,153,153)"
,sidebarSearchBorderColor = "rgb(55,72,80)"

,sidebarTabTextColor = "rgb(255,255,255)"
,sidebarTabTextSize = 13
,sidebarTabBorderStyle = "none none solid none"
,sidebarTabBorderColor = "rgb(35,106,135)"
,sidebarTabBorderWidth = 1

,sidebarTabBackColorSelected = cssGradientThreeColors(
  direction = "right"
  ,colorStart = "rgba(44,222,235,1)"
  ,colorMiddle = "rgba(44,222,235,1)"
  ,colorEnd = "rgba(0,255,213,1)"
  ,colorStartPos = 0
  ,colorMiddlePos = 30
  ,colorEndPos = 100
)
,sidebarTabTextColorSelected = "rgb(0,0,0)"
,sidebarTabRadiusSelected = "0px 20px 20px 0px"

```



```

,sidebarTabBackColorHover = cssGradientThreeColors(
  direction = "right"
  ,colorStart = "rgba(44,222,235,1)"
  ,colorMiddle = "rgba(44,222,235,1)"
  ,colorEnd = "rgba(0,255,213,1)"
  ,colorStartPos = 0
  ,colorMiddlePos = 30
  ,colorEndPos = 100
)
,sidebarTabTextColorHover = "rgb(50,50,50)"
,sidebarTabBorderStyleHover = "none none solid none"
,sidebarTabBorderColorHover = "rgb(75,126,151)"
,sidebarTabBorderWidthHover = 1
,sidebarTabRadiusHover = "0px 20px 20px 0px"

### boxes
,boxBackColor = "rgb(255,255,255)"
,boxBorderRadius = 5
,boxShadowSize = "0px 1px 1px"
,boxShadowColor = "rgba(0,0,0,.1)"
,boxTitleSize = 16
,boxDefaultColor = "rgb(210,214,220)"
,boxPrimaryColor = "rgba(44,222,235,1)"
,boxInfoColor = "rgb(210,214,220)"
,boxSuccessColor = "rgba(0,255,213,1)"
,boxWarningColor = "rgb(244,156,104)"
,boxDangerColor = "rgb(255,88,55)"

,tabBoxTabColor = "rgb(255,255,255)"
,tabBoxTabTextSize = 14
,tabBoxTabTextColor = "rgb(0,0,0)"
,tabBoxTabTextColorSelected = "rgb(0,0,0)"
,tabBoxBackColor = "rgb(255,255,255)"
,tabBoxHighlightColor = "rgba(44,222,235,1)"
,tabBoxBorderRadius = 5

### inputs
,buttonBackColor = "rgb(245,245,245)"
,buttonTextColor = "rgb(0,0,0)"
,buttonBorderColor = "rgb(200,200,200)"
,buttonBorderRadius = 5

,buttonBackColorHover = "rgb(235,235,235)"
,buttonTextColorHover = "rgb(100,100,100)"
,buttonBorderColorHover = "rgb(200,200,200)"

,textboxBackColor = "rgb(255,255,255)"
,textboxBorderColor = "rgb(200,200,200)"
,textboxBorderRadius = 5
,textboxBackColorSelect = "rgb(245,245,245)"
,textboxBorderColorSelect = "rgb(200,200,200)"

```

```
### tables
,tableBackColor = "rgb(255,255,255)"
,tableBorderColor = "rgb(240,240,240)"
,tableBorderTopSize = 1
,tableBorderRowSize = 1

)
```

---

shinyDashboardThemes *shinyDashboardThemes*

---

### Description

Calls a custom theme object created using shinyDashboardThemeDIY

### Usage

```
shinyDashboardThemes(theme)
```

### Arguments

theme                   String. Name of theme to be used

### Value

CSS code. Theme for shinydashboard.

### Available themes

- **blue\_gradient**: Demonstrates use of gradients, shadows and rounded corners.
- **flat\_red**: Flat colour theme with red highlights.
- **grey\_light**: Lightweight grey theme.
- **grey\_dark**: Demonstrates use of inverted dark colour schemes.
- **onenote**: Styled similarly to the OneNote application.
- **poor\_mans\_flatly**: Poor man's version of the **Flatly** theme.
- **purple\_gradient**: Demonstrates use of dark gradients and rounded corners.

### See Also

[shinyDashboardThemeDIY](#), [shinyDashboardLogo](#)

**Examples**

```
#...  
### ui body  
#dashboardBody(  
  
  ### changing theme  
  shinyDashboardThemes(  
    theme = "blue_gradient"  
  )  
  
  ### ui tabs  
  #, tabItems(  
  #   tabItem(  
  #     ...
```

---

theme_blue_gradient	<i>theme_blue_gradient</i>
---------------------	----------------------------

---

**Description**

Blue Gradient theme for a shinydashboard application

**Usage**

```
theme_blue_gradient
```

**Format**

An object of class `shiny.tag` of length 3.

**Value**

Object produced by `shinyDashboardThemeDIY`

**See Also**

[shinyDashboardThemeDIY](#)

---

theme_flat_red	<i>theme_flat_red</i>
----------------	-----------------------

---

**Description**

Flat Red theme for a shinydashboard application

**Usage**

```
theme_flat_red
```

**Format**

An object of class shiny.tag of length 3.

**Value**

Object produced by shinyDashboardThemeDIY

**See Also**

[shinyDashboardThemeDIY](#)

---

theme_grey_dark	<i>theme_grey_dark</i>
-----------------	------------------------

---

**Description**

Grey Dark theme for a shinydashboard application

**Usage**

```
theme_grey_dark
```

**Format**

An object of class shiny.tag of length 3.

**Value**

Object produced by shinyDashboardThemeDIY

**See Also**

[shinyDashboardThemeDIY](#)

---

theme\_grey\_light      *theme\_grey\_light*

---

**Description**

Grey Light theme for a shinydashboard application

**Usage**

theme\_grey\_light

**Format**

An object of class shiny.tag of length 3.

**Value**

Object produced by shinyDashboardThemeDIY

**See Also**

[shinyDashboardThemeDIY](#)

---

theme\_onenote      *theme\_onenote*

---

**Description**

OneNote theme for a shinydashboard application

**Usage**

theme\_onenote

**Format**

An object of class shiny.tag of length 3.

**Value**

Object produced by shinyDashboardThemeDIY

**See Also**

[shinyDashboardThemeDIY](#)

---

theme\_poor\_mans\_flatly  
*theme\_poor\_mans\_flatly*

---

**Description**

Poor Man's Flatly theme for a shinydashboard application

**Usage**

theme\_poor\_mans\_flatly

**Format**

An object of class shiny.tag of length 3.

**Value**

Object produced by shinyDashboardThemeDIY

**See Also**

[shinyDashboardThemeDIY](#)

---

theme\_purple\_gradient *theme\_purple\_gradient*

---

**Description**

Purple Gradient theme for a shinydashboard application

**Usage**

theme\_purple\_gradient

**Format**

An object of class shiny.tag of length 3.

**Value**

Object produced by shinyDashboardThemeDIY

**See Also**

[shinyDashboardThemeDIY](#)

# Index

## \* datasets

- theme\_blue\_gradient, 19
- theme\_flat\_red, 20
- theme\_grey\_dark, 20
- theme\_grey\_light, 21
- theme\_onenote, 21
- theme\_poor\_mans\_flatly, 22
- theme\_purple\_gradient, 22

cssGradientThreeColors, 2, 3, 10, 15

dashboardthemes, 3

- logo\_blue\_gradient, 4
- logo\_flat\_red, 4
- logo\_grey\_dark, 5
- logo\_grey\_light, 5
- logo\_onenote, 6
- logo\_poor\_mans\_flatly, 6
- logo\_purple\_gradient, 7

- shinyDashboardLogo, 3, 8, 10, 18
- shinyDashboardLogoDIY, 3–8, 9, 15
- shinyDashboardThemeDIY, 3, 10, 18–22
- shinyDashboardThemes, 3, 8, 15, 18

- theme\_blue\_gradient, 19
- theme\_flat\_red, 20
- theme\_grey\_dark, 20
- theme\_grey\_light, 21
- theme\_onenote, 21
- theme\_poor\_mans\_flatly, 22
- theme\_purple\_gradient, 22