

Package ‘pxmake’

December 16, 2025

Title Make PX-Files in R

Version 0.19.0

Description Create PX-files from scratch or read and modify existing ones.
Includes a function for every PX keyword, making metadata manipulation simple and human-readable.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.3

Imports arrow, dplyr, furr, magrittr, methods, openxlsx, purrr,
readxl, rlang, stats, stringi, stringr, tibble, tidyr, tools,
utils, vctrs

Suggests knitr, rmarkdown, withr, testthat (>= 3.0.0), curl

Config/testthat/edition 3

Config/testthat/parallel true

Config/testthat/start-first 60-metamake-bexltall

VignetteBuilder knitr

Depends R (>= 4.1.0)

LazyData true

URL <https://github.com/StatisticsGreenland/pxmake>,
<https://statisticsgreenland.github.io/pxmake/>

BugReports <https://github.com/StatisticsGreenland/pxmake/issues>

NeedsCompilation no

Author Johan Ejstrud [cre, aut],
Lars Pedersen [aut],
Statistics Greenland [cph] (<https://stat.gl/>)

Maintainer Johan Ejstrud <johan@ejstrud.com>

Repository CRAN

Date/Publication 2025-12-16 16:10:02 UTC

Contents

age_classification	3
greenlanders	4
population_gl	4
px	5
px_add_totals	6
px_aggregallowed	7
px_autopen	8
px_axis_version	9
px_baseperiod	10
px_cellnote	11
px_cellnotex	13
px_cfprices	14
px_charset	15
px_classification	16
px_codepage	18
px_confidential	19
px_contact	20
px_contents	22
px_contvariable	23
px_copyright	24
px_creation_date	25
px_data	26
px_decimals	27
px_description	28
px_descriptiondefault	29
px_domain	30
px_elimination	31
px_figures	33
px_heading	34
px_infofile	35
px_keywords	36
px_language	37
px_languages	38
px_last_updated	39
px_link	40
px_map	41
px_matrix	43
px_micro	44
px_next_update	45
px_note	46
px_notex	47
px_official_statistics	49
px_order	50
px_precision	51
px_save	52
px_save_classification	53

px_showdecimals	54
px_source	55
px_stockfa	56
px_stub	57
px_subject_area	58
px_subject_code	59
px_tableid	60
px_timeval	61
px_title	62
px_units	63
px_update_frequency	65
px_validate	66
px_valuenote	66
px_valuenotex	68
px_values	69
px_variable_label	70
px_variable_type	71
Index	73

age_classification *Age classification*

Description

Example data set to create age classification with aggregations form 10 and 25 years classes.

Usage

```
age_classification
```

Format

A data frame:

valuecode Value code

valuetext Value text

10-years_classes Aggregation into 10 years classes

25-years_classes Aggregation into 25 years classes

greenlanders	<i>Greenlanders</i>
--------------	---------------------

Description

A fictive data set with demographic data for Greenlanders split in two cohorts.

Usage

```
greenlanders
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 100 rows and 4 columns.

population_gl	<i>Population Greenland</i>
---------------	-----------------------------

Description

A subset of the population count data available in Statistic Greenland's BEESTA table.

Usage

```
population_gl
```

Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 30 rows and 4 columns.

Source

https://bank.stat.gl/pxweb/en/Greenland/Greenland__BE__BE01__BE0120/BEXSTA.px/

px *Create a px object*

Description

Create a px object from a PX-file, an Excel metadata workbook, or a data frame.

Usage

```
px(input = NULL, data = NULL, validate = TRUE)
```

Arguments

input	Optional character string. Can be: <ul style="list-style-type: none"> • Path to a PX-file • Path to an Excel metadata workbook • A data frame • Path to an .rds or .parquet file with a data frame • Direct download URL of a PX-file • Direct download URL of a parquet file <p>If input is a data frame or NULL, a px object with minimal metadata is created.</p>
data	Either a data frame or a path to an .rds or .parquet file with a data frame. This can only be used if input is an Excel metadata workbook.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object

Examples

```
# Create px object from dataset
x1 <- px(population_gl)

# Download PX-file for example
download_succeeded <- tryCatch({
  px_path <- tempfile(fileext = ".px")
  url <- "https://bank.stat.gl:443/sq/0cf06962-19f1-4d5c-8d43-b7ed0009617d"
  download.file(url, px_path)
  TRUE
}, error = function(e) FALSE)

# Run examples only if file was downloaded
```

```

if (download_succeeded) {
  # Create px object from PX-file
  x2 <- px(px_path)

  # Create px object from URL
  x3 <- px(url)
}

# Create minimal px object
x4 <- px()

```

px_add_totals

Add total levels to variables

Description

Adds a total level, which is the sum of the figures for all other levels of the variable.

The default name of the total level is 'Total', unless [px_elimination](#) is set, in which case the elimination code is used.

Usage

```
px_add_totals(x, value, na.rm = TRUE, validate)
```

```
## S3 method for class 'px'
```

```
px_add_totals(x, value, na.rm = TRUE, validate = TRUE)
```

Arguments

x	A px object
value	A character vector of variables to add total levels to.
na.rm	Optional. Logical. If TRUE, NAs are removed before summing.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object

See Also

[px_elimination](#)

Examples

```

# Create small px object example
x0 <- px(subset(population_gl, age == "65+"))
px_data(x0)

# Add total level to one variable
x1 <- px_add_totals(x0, "gender")
px_data(x1)

# Add total level to multiple variables
x2 <- px_add_totals(x0, c("gender", "age"))
px_data(x2)

# The name of the total level can be changed with px_elimination()
x3 <-
  x0 |>
  px_elimination("T") |>
  px_add_totals("gender")

px_data(x3)

```

px_aggregallowed	AGGREGALLOWED
------------------	---------------

Description

Inspect or change AGGREGALLOWED.

Usage

```

px_aggregallowed(x, value, validate)

## S3 method for class 'px'
px_aggregallowed(x, value, validate = TRUE)

```

Arguments

x	A px object
value	Optional. A character string. If missing, the current AGGREGALLOWED is returned. If NULL, AGGREGALLOWED is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set AGGREGALLOWED
x1 <-
  px(population_g1) |>
  px_aggregallowed('NO')

# Print AGGREGALLOWED
px_aggregallowed(x1)

# Remove AGGREGALLOWED
x2 <- px_aggregallowed(x1, NULL)
px_aggregallowed(x2)
```

px_autopen

AUTOPEN

Description

Inspect or change AUTOPEN.

Usage

```
px_autopen(x, value, validate)

## S3 method for class 'px'
px_autopen(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current AUTOPEN is returned. If NULL, AUTOPEN is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set AUTOPEN
x1 <-
  px(population_g1) |>
  px_autopen('YES')

# Print AUTOPEN
px_autopen(x1)

# Remove AUTOPEN
x2 <- px_autopen(x1, NULL)
px_autopen(x2)
```

px_axis_version	<i>AXIS-VERSION</i>
-----------------	---------------------

Description

Inspect or change *AXIS-VERSION*.

Usage

```
px_axis_version(x, value, validate)

## S3 method for class 'px'
px_axis_version(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current <i>AXIS-VERSION</i> is returned. If <i>NULL</i> , <i>AXIS-VERSION</i> is removed.
validate	Optional. If <i>TRUE</i> a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If <i>FALSE</i> , the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set AXIS-VERSION
x1 <-
  px(population_g1) |>
  px_axis_version('2010')

# Print AXIS-VERSION
px_axis_version(x1)

# Remove AXIS-VERSION
x2 <- px_axis_version(x1, NULL)
px_axis_version(x2)
```

px_baseperiod	<i>BASEPERIOD</i>
---------------	-------------------

Description

Inspect or change BASEPERIOD.

Usage

```
px_baseperiod(x, value, validate)

## S3 method for class 'px'
px_baseperiod(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current BASEPERIOD is returned. If NULL, BASEPERIOD is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set BASEPERIOD for all languages
x1 <-
  px(population_g1) |>
  px_baseperiod('year')

# Print BASEPERIOD
px_baseperiod(x1)

# Set BASEPERIOD for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_baseperiod(tribble(~language, ~value,
                        'en', 'year',
                        'kl', 'ukioq'))
px_baseperiod(x2)

# Remove BASEPERIOD
x3 <- px_baseperiod(x2, NULL)
px_baseperiod(x3)
```

px_cellnote

CELLNOTE

Description

Inspect or change *CELLNOTE*.

Usage

```
px_cellnote(x, value, na_to_star, validate)

## S3 method for class 'px'
px_cellnote(x, value, na_to_star = TRUE, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A data frame with columns 'cellnote' and one or more columns with the names of the STUB and HEADING variables. The 'cellnote' column is the cellnote text, and the STUB/HEADING columns control which cells the note applies to. Use star (*) if a note applies to all cells in a variable. Use column 'language' to set <i>CELLNOTE</i> for specific languages. If 'value' is missing, the current <i>CELLNOTE</i> is returned. If value is NULL, <i>CELLNOTE</i> is removed.
na_to_star	Optional. Convert all NAs to '*'.

`validate` Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use `px_validate()` to manually preform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CELLNOTE for a value
library(tibble)
x1 <-
  population_gl |>
  px() |>
  px_cellnote(
    tribble(~gender, ~age, ~year, ~cellnote,
            'male', '0-6', '2004', 'Approximation'))

x2 <-
  x1 |>
  px_cellnote(
    tribble(~gender, ~age, ~year, ~cellnote,
            'female', '*', '2014', 'Uncertainty in ages'))

# Print CELLNOTE
px_cellnote(x2)

# Set CELLNOTE in multiple languagese
x3 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_cellnote(
    tribble(~age, ~year, ~language, ~cellnote,
            '*', '2003', 'en', 'Some of the figures are from 2003',
            '*', '2003', 'kl', 'Kisitsisit ilaat 2003-imeersuupput'))
px_cellnote(x3)

# Remove CELLNOTE
x4 <- px_cellnote(x3, NULL)
px_cellnote(x4)
```

px_cellnotex	<i>CELLNOTEX</i>
--------------	------------------

Description

Inspect or change CELLNOTEX.

Usage

```
px_cellnotex(x, value, na_to_star, validate)

## S3 method for class 'px'
px_cellnotex(x, value, na_to_star = TRUE, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A data frame with columns 'cellnotex' and one or more columns with the names of the STUB and HEADING variables. The 'cellnotex' column is the cellnotex text, and the STUB/HEADING columns control which cells the note applies to. Use star (*) if a note applies to all cells in a variable. Use column 'language' to set CELLNOTEX for specific languages. If 'value' is missing, the current CELLNOTEX is returned. If value is NULL, CELLNOTEX is removed.
na_to_star	Optional. Convert all NAs to '*'.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CELLNOTEX for a value
library(tibble)
x1 <-
  population_gl |>
  px() |>
  px_cellnotex(
    tribble(~gender, ~age, ~year, ~cellnote,
            'male', '0-6', '2004', 'Approximation'))
```

```

x2 <-
  x1 |>
  px_cellnote(
    tribble(~gender, ~age, ~year, ~cellnote,
            'female', ~*, '2014', 'Uncertainty in ages'))

# Print CELLNOTEEX
px_cellnotex(x2)

# Set CELLNOTEEX in multiple languagese
x3 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_cellnotex(
    tribble(~age, ~year, ~language, ~cellnote,
            ~*, '2003', 'en', 'Some of the figures are from 2003',
            ~*, '2003', 'kl', 'Kisitsisit ilaat 2003-imeersuupput'))
px_cellnotex(x3)

# Remove CELLNOTEEX
x4 <- px_cellnotex(x3, NULL)
px_cellnotex(x4)

```

px_cfprices

CFPRICES

Description

Inspect or change CFPRICES.

Usage

```
px_cfprices(x, value, validate)
```

```
## S3 method for class 'px'
px_cfprices(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current CFPRICES is returned. If NULL, CFPRICES is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CFPRICES for all languages
x1 <-
  px(population_g1) |>
  px_cfprices('C')

# Print CFPRICES
px_cfprices(x1)

# Set CFPRICES for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_cfprices(tribble(~language, ~value,
                    'en', 'C',
                    'kl', 'F'))

px_cfprices(x2)

# Remove CFPRICES
x3 <- px_cfprices(x2, NULL)
px_cfprices(x3)
```

px_charset

CHARSET

Description

Inspect or change CHARSET.

Usage

```
px_charset(x, value, validate)

## S3 method for class 'px'
px_charset(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current CHARSET is returned. If NULL, CHARSET is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CHARSET
x1 <-
  px(population_g1) |>
  px_charset('ANSI')

# Print CHARSET
px_charset(x1)

# Remove CHARSET
x2 <- px_charset(x1, NULL)
px_charset(x2)
```

px_classification *Create a classification object*

Description

Create a classification object from a data frame or .vs and .agg files.

Usage

```
px_classification(name, pretext, domain, df, vs_path, agg_paths)
```


Arguments

name	Optional. Name of the classification.
pretext	Optional. Presentation text.
domain	Optional. Character vector with domain names. Used to link to PX-file.
df	Optional. A data frame with required column 'valuecode' and optional column 'valuetext', if the codes have texts. Each additional column represents an aggregation. The column name is the name of the aggregation. If the column type is character the aggregation levels will be sorted alphabetically; use factors to control the ordering.
vs_path	Optional. Path to a values set (.vs) file.
agg_paths	Optional. <ul style="list-style-type: none"> • If NULL, aggregation paths are automatically taken from the [Aggreg] field in the .vs file. • Use a vector of paths to one or more aggregation files (.agg) to manually choose aggregations. • Use character(0) if aggregations from the .vs files should not be added automatically.

Details

A classification is a combination of a value set and zero, one, or more aggregations. The classification can be saved as .vs and .agg files (see `px_save_classification()`).

If a classification is created from a data frame, the arguments name and pretext and domain are required. If a classification is created from .vs and .agg files, all other arguments should be empty.

For aggregations, it's normally possible to have codes and values in the .agg file under the sections '[Aggreg]' and '[Aggtext]' respectively. However, in pxmake's implementation of classifications, it's not possible to distinguish between these. When a new classification is created, the values in the section '[Aggtext]' are used as aggregation values.

Only value sets of type 'V' are supported. Type values sets with type 'H' and 'N' are not supported.

Value

A classification object

Examples

```
# Create classification from data frame
library(tibble)

c1 <- px_classification(name = "Age5",
  pretext = "Ages 0-9 - 60+",
  domain = "age",
  df = tribble(
    ~valuecode, ~valuetext, ~`25 years classes`,
    "0-4", "0-4 years", "0-24",
    "5-9", "5-9 years", "0-24",
```

```

        "10-14", "10-14 years", "0-24",
        "15-19", "15-19 years", "0-24",
        "20-24", "20-24 years", "0-24",
        "25-29", "25-29 years", "25-49",
        "30-34", "30-34 years", "25-49",
        "35-39", "35-39 years", "25-49",
        "40-44", "40-44 years", "25-49",
        "45-49", "45-49 years", "25-49",
        "50-54", "50-54 years", "50-74",
        "55-59", "55-59 years", "50-74",
        "60-64", "60-64 years", "50-74",
        "65-69", "65-69 years", "50-74",
        "70-74", "70-74 years", "50-74",
        "75+", "75+ years", "75+"
    )
)

# Create classifications from files

vs_file <- system.file("extdata", "Age5.vs", package = "pxmake")

agg_files <- c(
  system.file("extdata", "10-years_classes.agg", package = "pxmake"),
  system.file("extdata", "25-years_classes.agg", package = "pxmake")
)

if (vs_file != "" & all(agg_files != "")) {
  # Create classification from .vs file and use aggregations mentioned in .vs
  c2 <- px_classification(vs_path = vs_file)

  # Create classification from .vs file and manually specify aggregation files
  c3 <- px_classification(vs_path = vs_file,
    agg_paths = agg_files
  )

  identical(c2, c3)
}

```

px_codepage

CODEPAGE

Description

Inspect or change CODEPAGE.

Usage

```
px_codepage(x, value, validate)
```

```
## S3 method for class 'px'
```

```
px_codepage(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current CODEPAGE is returned. If NULL, CODEPAGE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Details

CODEPAGE controls which encoding PX-files are read and stored in. Use `iconvlist()` to see available encodings on your system.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

[px_save\(\)](#)

Examples

```
# Set CODEPAGE
x1 <-
  px(population_g1) |>
  px_codepage('utf-8')

# Print CODEPAGE
px_codepage(x1)

# Remove CODEPAGE
x2 <- px_codepage(x1, NULL)
px_codepage(x2)
```

px_confidential

CONFIDENTIAL

Description

Inspect or change CONFIDENTIAL.

Usage

```
px_confidential(x, value, validate)

## S3 method for class 'px'
px_confidential(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current CONFIDENTIAL is returned. If NULL, CONFIDENTIAL is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CONFIDENTIAL
x1 <-
  px(population_g1) |>
  px_confidential('1')

# Print CONFIDENTIAL
px_confidential(x1)

# Remove CONFIDENTIAL
x2 <- px_confidential(x1, NULL)
px_confidential(x2)
```

px_contact

CONTACT

Description

Inspect or change CONTACT.

Usage

```
px_contact(x, value, validate)

## S3 method for class 'px'
px_contact(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current CONTACT is returned. If NULL, CONTACT is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CONTACT for all languages
x1 <-
  px(population_g1) |>
  px_contact('Johan Ejstrud')

# Print CONTACT
px_contact(x1)

# Set CONTACT for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_contact(tribble(~language, ~value,
                    'en', 'Johan Ejstrud',
                    'kl', 'Lars Pedersen'))

px_contact(x2)

# Remove CONTACT
x3 <- px_contact(x2, NULL)
px_contact(x3)
```

px_contents

CONTENTS

Description

Inspect or change CONTENTS.

Usage

```
px_contents(x, value, validate)

## S3 method for class 'px'
px_contents(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current CONTENTS is returned. If NULL, an error is thrown because CONTENTS cannot be removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CONTENTS for all languages
x1 <-
  px(population_gl) |>
  px_contents('Population')

# Print CONTENTS
px_contents(x1)

# Set CONTENTS for individual languages
library(tibble)
x2 <-
  x1 |>
```

```

px_languages(c('en', 'kl')) |>
px_contents(tribble(~language, ~value,
                    'en', 'Population',
                    'kl', 'Innuttaasut'))
px_contents(x2)

```

px_contvariable	<i>CONTVARIABLE</i>
-----------------	---------------------

Description

Inspect or change CONTVARIABLE.

Setting CONTVARIABLE indexes several variables in table2. Removing CONTVARIABLE removes the indexing from table2.

Usage

```

px_contvariable(x, value, validate)

## S3 method for class 'px'
px_contvariable(x, value, validate = TRUE)

```

Arguments

x	A px object
value	Optional. A character string. If missing, the current CONTVARIABLE is returned. If NULL, CONTVARIABLE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```

# Set CONTVARIABLE
x1 <-
  px(population_gl) |>
  px_contvariable('gender')

# After setting CONTVARIABLE some variables are index by it, e.g. UNITS

```

```
px_units(x1)

# Remove CONTVARIABLE
x2 <- px_contvariable(x1, NULL)
px_contvariable(x2)

# Removing CONTVARIABLE also removes the index from UNITS
px_units(x2)
```

px_copyright

COPYRIGHT

Description

Inspect or change COPYRIGHT.

Usage

```
px_copyright(x, value, validate)

## S3 method for class 'px'
px_copyright(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current COPYRIGHT is returned. If NULL, COPYRIGHT is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be useful for large px objects where the check can be time consuming. Use px_validate() to manually perform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set COPYRIGHT
x1 <-
  px(population_g1) |>
  px_copyright('YES')
```



```
# Print COPYRIGHT
px_copyright(x1)

# Remove COPYRIGHT
x2 <- px_copyright(x1, NULL)
px_copyright(x2)
```

px_creation_date	<i>CREATION-DATE</i>
------------------	----------------------

Description

Inspect or change CREATION-DATE.

Usage

```
px_creation_date(x, value, validate)

## S3 method for class 'px'
px_creation_date(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current CREATION-DATE is returned. If NULL, CREATION-DATE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set CREATION-DATE
x1 <-
  px(population_g1) |>
  px_creation_date('19960612 14:20')

# Print CREATION-DATE
px_creation_date(x1)
```

```
# Remove CREATION-DATE
x2 <- px_creation_date(x1, NULL)
px_creation_date(x2)
```

px_data	<i>DATA</i>
---------	-------------

Description

Inspect or change DATA.

Usage

```
px_data(x, value, labels, sort, validate)
```

```
## S3 method for class 'px'
```

```
px_data(x, value, labels = FALSE, sort = FALSE, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A data frame. If missing, the current DATA is returned. If NULL, all data rows are removed.
labels	Optional. Logic or character vector. If TRUE, the data table is returned with VALUES instead of CODES. By default the VALUES of the main language are returned, use a character language code to return VALUES for a specific language.
sort	Optional. If TRUE, the data table is returned in the sort order defined by px_order() . If FALSE, the data table is returned as is.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Details

If adding a new data frame, metadata is generated for the new columns and removed for columns that are no longer present.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
x1 <- px(population_gl)

# Print data table
px_data(x1)

# Change data table
population_gl_2024 <- subset(population_gl, year == 2024)

x2 <- px_data(x1, population_gl_2024)

# Return data table with VALUES instead of CODES
px_data(x1, labels = TRUE)

# Return VALUES for a specific language
x_mult <-
  x1 |>
  px_languages(c("en", "gl"))

px_data(x_mult, labels = "gl")
```

px_decimals

DECIMALS

Description

Inspect or change DECIMALS.

Usage

```
px_decimals(x, value, validate)

## S3 method for class 'px'
px_decimals(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current DECIMALS is returned. If NULL, an error is thrown because DECIMALS cannot be removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set DECIMALS
x1 <-
  px(population_g1) |>
  px_decimals('3')

# Print DECIMALS
px_decimals(x1)
```

px_description	<i>DESCRIPTION</i>
----------------	--------------------

Description

Inspect or change DESCRIPTION.

Usage

```
px_description(x, value, validate)

## S3 method for class 'px'
px_description(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current DESCRIPTION is returned. If NULL, DESCRIPTION is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

[px_title\(\)](#)

Examples

```

# Set DESCRIPTION for all languages
x1 <-
  px(population_g1) |>
  px_description('Population')

# Print DESCRIPTION
px_description(x1)

# Set DESCRIPTION for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_description(tribble(~language, ~value,
                        'en', 'Population',
                        'kl', 'Innuttaasut'))
px_description(x2)

# Remove DESCRIPTION
x3 <- px_description(x2, NULL)
px_description(x3)

```

px_descriptiondefault *DESCRIPTIONDEFAULT*

Description

Inspect or change DESCRIPTIONDEFAULT.

Usage

```

px_descriptiondefault(x, value, validate)

## S3 method for class 'px'
px_descriptiondefault(x, value, validate = TRUE)

```

Arguments

x	A px object
value	Optional. A character string. If missing, the current DESCRIPTIONDEFAULT is returned. If NULL, DESCRIPTIONDEFAULT is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set DESCRIPTIONDEFAULT
x1 <-
  px(population_g1) |>
  px_descriptiondefault('YES')

# Print DESCRIPTIONDEFAULT
px_descriptiondefault(x1)

# Remove DESCRIPTIONDEFAULT
x2 <- px_descriptiondefault(x1, NULL)
px_descriptiondefault(x2)
```

px_domain

DOMAIN

Description

Inspect or change DOMAIN.

Usage

```
px_domain(x, value, validate)

## S3 method for class 'px'
px_domain(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string or data frame. <ul style="list-style-type: none"> • Use character to set DOMAIN for all languages and STUB/HEADING variables. • Use data frame with columns 'variable-code', 'language' and 'domain' to set DOMAIN for specific variables. • If missing, the current DOMAIN is returned. • If NULL, DOMAIN is removed for all variables.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set DOMAIN for all languages
x1 <-
  px(population_gl) |>
  px_domain('aggregation1')

# Print DOMAIN
px_domain(x1)

# Set DOMAIN for individual variables
library(tibble)
x2 <-
  x1 |>
  px_domain(tribble(~`variable-code`, ~domain,
                   'gender', 'aggregation2',
                   'age', 'aggregation3'))
px_domain(x2)

# Set DOMAIN for individual languages
x3 <-
  x2 %>%
  px_languages(c('en', 'kl')) |>
  px_domain(tribble(~`variable-code`, ~language, ~domain,
                   'gender', 'en', 'aggregation2_en',
                   'gender', 'kl', 'aggregation2_kl',
                   'age', 'en', 'aggregation3_en'))
px_domain(x3)

# Remove DOMAIN
x4 <- px_domain(x3, NULL)
px_domain(x4)
```

px_elimination

ELIMINATION

Description

Inspect or change ELIMINATION.

Usage

```
px_elimination(x, value, validate)

## S3 method for class 'px'
px_elimination(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. Use character to set ELIMINATION for all STUB and HEADING variables. Use a data frame with columns 'variable-code' and 'elimination' to set ELIMINATION for individual variables. If value is missing, the current ELIMINATION is returned. If NULL, ELIMINATION is removed for all variables.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
library(tibble)

# Set ELIMINATION
x1 <-
  px(population_g1) |>
  px_elimination(tribble(~`variable-code`, ~elimination,
                        "gender", "T",
                        "age", "YES"
                      )
                )

# Print ELIMINATION
px_elimination(x1)

# Remove ELIMINATION
x2 <- px_elimination(x1, NULL)
px_elimination(x2)
```

px_figures	<i>Change figures variable</i>
------------	--------------------------------

Description

Inspect or change which variable is used as figures. The previous figures variable is changed to STUB. There can only be one figures variable.

Usage

```
px_figures(x, value, validate)

## S3 method for class 'px'
px_figures(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. Name of variable to use as FIGURES. If missing, the current PX_FIGURES variable is returned.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string

See Also

[px_stub](#) [px_heading](#)

Examples

```
x1 <- px(population_g1)

# Print FIGURES
px_figures(x1)

# Change 'age' to FIGURES variable, 'n' i changed to STUB
x2 <- px_figures(x1, 'age')
px_figures(x2)
px_stub(x2)
```

px_heading	<i>HEADING</i>
------------	----------------

Description

Inspect or change HEADING.

Usage

```
px_heading(x, value, validate)

## S3 method for class 'px'
px_heading(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character vector of variable names to change to STUB. This also changes the HEADING order. With names in variables becoming 1, 2, ... If missing, the current HEADING variables are returned.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character vector.

See Also

[Statistics Sweden's documentation](#)
[px_stub](#) [px_figures](#)

Examples

```
x1 <- px(population_g1)

# Print HEADING
px_heading(x1)

# Add 'gender' to HEADING
x2 <- px_heading(x1, 'gender')
px_heading(x2)

# Change order of HEADING
x3 <- px_heading(x2, 'year')
px_heading(x3)
```

px_infofile	<i>INFOFILE</i>
-------------	-----------------

Description

Inspect or change INFOFILE.

Usage

```
px_infofile(x, value, validate)

## S3 method for class 'px'
px_infofile(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current INFOFILE is returned. If NULL, INFOFILE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set INFOFILE for all languages
x1 <-
  px(population_gl) |>
  px_infofile('infofile_en')

# Print INFOFILE
px_infofile(x1)

# Set INFOFILE for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
```

```

px_infofile(tribble(~language, ~value,
                    'en', 'infofile_en',
                    'kl', 'infofile_kl'))
px_infofile(x2)

# Remove INFOFILE
x3 <- px_infofile(x2, NULL)
px_infofile(x3)

```

px_keywords

px keywords

Description

Properties of all px keywords. Used internally by the package.

Usage

```
px_keywords
```

Format

A data frame:

keyword Name

px_function Function name

mandatory Is required in a PX-file

table_meta Is metadata for entire table; not individual variables or cells

language_dependent Is language dependent

indexed_by_contvariable Is indexed if CONTVARIABLE is set

quote_value Value should be quoted in PX-file

default_value Default value for mandatory keywords

documentation URL to Statistic Sweden's documentation

order Recommended order

Source

https://www.scb.se/globalassets/vara-tjanster/px-programmen/PX-file_format_specification_2013.pdf

px_language	<i>LANGUAGE</i>
-------------	-----------------

Description

Inspect or change LANGUAGE.

Usage

```
px_language(x, value, validate)

## S3 method for class 'px'
px_language(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current LANGUAGE is returned. If NULL, LANGUAGE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Details

If LANGUAGES is defined, changing LANGUAGE will also add is to LANGUAGES.

Value

A px object

See Also

[px_languages](#)

Examples

```
# Set LANGUAGE to 'en'
x1 <-
  population_gl |>
  px() |>
  px_language('en')

# Print LANGUAGE
px_language(x1)

# Remove LANGUAGE
```

```
x2 <- px_language(x1, NULL)
px_language(x2)
```

px_languages

LANGUAGES

Description

Inspect or change LANGUAGES.

Usage

```
px_languages(x, value, validate)

## S3 method for class 'px'
px_languages(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character vector. If missing, the current LANGUAGES are returned. If NULL, LANGUAGES are removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Details

If LANGUAGE is defined it should be one of the values in LANGUAGES.

If LANGUAGE is set, it is considered the main language. If LANGUAGE is not set, the first language in LANGUAGES is considered the main language.

Value

A px object

See Also

[px_language](#)

Examples

```
# Set LANGUAGES to 'en' and 'kl', with 'en' as main language
x1 <-
  population_gl |>
  px() |>
  px_languages(c('en', 'kl'))

# Print LANGUAGES
px_languages(x1)

# Remove LANGUAGES
x2 <- px_languages(x1, NULL)
px_languages(x2)
```

px_last_updated	<i>LAST-UPDATED</i>
-----------------	---------------------

Description

Inspect or change LAST-UPDATED.

Usage

```
px_last_updated(x, value, validate)

## S3 method for class 'px'
px_last_updated(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current LAST-UPDATED is returned. If NULL, LAST-UPDATED is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set LAST-UPDATED for all languages
x1 <-
  px(population_g1) |>
  px_last_updated('17070501 15:55')

# Print LAST-UPDATED
px_last_updated(x1)

# Set LAST-UPDATED for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_last_updated(tribble(~language, ~value,
                        'en', '17070501 15:55',
                        'kl', '20080621 15:55'))
px_last_updated(x2)

# Remove LAST-UPDATED
x3 <- px_last_updated(x2, NULL)
px_last_updated(x3)
```

`px_link`*LINK*

Description

Inspect or change `LINK`.

Usage

```
px_link(x, value, validate)

## S3 method for class 'px'
px_link(x, value, validate = TRUE)
```

Arguments

<code>x</code>	A px object
<code>value</code>	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current <code>LINK</code> is returned. If <code>NULL</code> , <code>LINK</code> is removed.
<code>validate</code>	Optional. If <code>TRUE</code> a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If <code>FALSE</code> , the checks are skipped, which can be useful for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually perform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set LINK for all languages
x1 <-
  px(population_gl) |>
  px_link('https://stat.gl/?lang=en')

# Print LINK
px_link(x1)

# Set LINK for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_link(tribble(~language, ~value,
                  'en', 'https://stat.gl/?lang=en',
                  'kl', 'https://stat.gl/'))

px_link(x2)

# Remove LINK
x3 <- px_link(x2, NULL)
px_link(x3)
```

px_map

MAP

Description

Inspect or change MAP.

Usage

```
px_map(x, value, validate)

## S3 method for class 'px'
px_map(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string or data frame. <ul style="list-style-type: none"> • Use character to set MAP for all languages and STUB/HEADING variables. • Use data frame with columns `variable-code`, `language` and `map` to set MAP for specific variables. • If missing, the current MAP is returned. • If NULL, MAP is removed for all variables.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be useful for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually perform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set MAP for all languages
x1 <-
  px(population_gl) |>
  px_map('greenland')

# Print MAP
px_map(x1)

# Set MAP for individual variables
library(tibble)
x2 <-
  x1 |>
  px_map(tribble(~`variable-code`, ~map,
                 'gender', 'cities',
                 'age', 'municipalities'))
px_map(x2)

# Set MAP for individual languages
x3 <-
  x2 %>%
  px_languages(c('en', 'kl')) |>
  px_map(tribble(~`variable-code`, ~language, ~map,
                 'gender', 'en', 'cities_en',
                 'gender', 'kl', 'cities_kl',
                 'age', 'en', 'municipalities_en'))
```

```
px_map(x3)

# Remove MAP
x4 <- px_map(x3, NULL)
px_map(x4)
```

px_matrix	<i>MATRIX</i>
-----------	---------------

Description

Inspect or change MATRIX.

Usage

```
px_matrix(x, value, validate)

## S3 method for class 'px'
px_matrix(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current MATRIX is returned. If NULL, an error is thrown because MATRIX cannot be removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set MATRIX
x1 <-
  px(population_g1) |>
  px_matrix('POPULATION')

# Print MATRIX
px_matrix(x1)
```

px_micro *Create micro PX-files*

Description

Split one px object into many small PX-files (micro files), with count of the variables in it.

Usage

```
px_micro(x, out_dir = NULL, keyword_values = NULL)
```

Arguments

x	A px object.
out_dir	Directory to save PX-files in.
keyword_values	Optional. A data frame with column 'variable' and one or more of: 'px_contents', 'px_title', 'px_description', and 'px_matrix'. The columns will be added as keywords to the table for each non-HEADING variable that match the 'variable' column. It probably work for other keywords as well. Use the column 'filename' to control the filename of each micro file. The file-name path is relative to 'out_dir'. Use the column 'language' if the PX-file has multiple languages.

Details

The HEADING variables are use in all the micro files, and a file is created for each non-HEADING variable. The new PX-files are saved in a directory specified by out_dir.

The main loop uses the furr package for parallelisation. Use future::plan() to choose how to parallelise.

Value

Nothing

Examples

```
# Create px object with cohort as HEADING
x <-
  greenlanders |>
  px() |>
  px_stub(names(greenlanders)) |>
  px_heading("cohort")

# Create micro files, one for each of the non-HEADING variables (gender, age,
# municipality)
px_micro(x)
```

px_next_update	<i>NEXT-UPDATE</i>
----------------	--------------------

Description

Inspect or change NEXT-UPDATE.

Usage

```
px_next_update(x, value, validate)

## S3 method for class 'px'
px_next_update(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current NEXT-UPDATE is returned. If NULL, NEXT-UPDATE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set NEXT-UPDATE
x1 <-
  px(population_g1) |>
  px_next_update('20240621 15:55')

# Print NEXT-UPDATE
px_next_update(x1)

# Remove NEXT-UPDATE
x2 <- px_next_update(x1, NULL)
px_next_update(x2)
```

px_note	<i>NOTE</i>
---------	-------------

Description

Inspect or change NOTE.

Usage

```
px_note(x, value, validate)
```

```
## S3 method for class 'px'
px_note(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string, a data frame, or a list. <ul style="list-style-type: none"> • Use character, to set NOTE for the entire table across all languages. • Use a data frame with columns 'language' and 'value' to set NOTE for the entire table in a specific language. • Use a data frame with the columns 'variable-code' and 'note', to set NOTE for a specific variable across all languages. Add the column 'language' to set NOTE for specific language. • Use a list of the above elements to set NOTE in multiple ways. This is the same as calling NOTE multiple times with different values. • If missing, the current NOTE is returned. • If NULL, NOTE is removed for the table and all variables.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Details

NOTE has a lot of possible ways to specify value, because it can be set both for the entire PX-file and for individual variables.

Value

A px object, a character string, a data frame, or a list of character strings and/or data frames.

See Also

[Statistics Sweden's documentation](#)

Examples

```

library(tibble)

# Set NOTE for entire PX-file
x1 <-
  px(population_gl) |>
  px_note('Note about PX-file')

# Print NOTE
px_note(x1)

# Set NOTE for entire PX-file in multiple languages
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_note(tribble(~language, ~value,
                 'en', 'English note',
                 'kl', 'Kalaallisut note'
                )
          )
  px_note(x2)

# Set NOTE for variables
x3 <-
  x1 |>
  px_note(tribble(~`variable-code`, ~note,
                 'year', 'Some data collected in following year',
                 'age', 'Is rounded down'
                )
          )
  px_note(x3)

# Remove all NOTES
x4 <- px_note(x3, NULL)

```

px_notex

*NOTEX***Description**

Inspect or change NOTEX.

Usage

```
px_notex(x, value, validate)
```

```
## S3 method for class 'px'
```

```
px_notex(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string, a data frame, or a list. <ul style="list-style-type: none"> • Use character, to set NOTEX for the entire table across all languages. • Use a data frame with columns 'language' and 'value' to set NOTEX for the entire table in a specific language. • Use a data frame with the columns 'variable-code' and 'notex', to set NOTEX for a specific variable across all languages. Add the column 'language' to set NOTEX for specific language. • Use a list of the above elements to set NOTEX in multiple ways. This is the same as calling NOTEX multiple times with different values. • If missing, the current NOTEX is returned. • If NULL, NOTEX is removed for the table and all variables.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be useful for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually perform the check.

Details

NOTEX has a lot of possible ways to specify value, because it can be set both for the entire PX-file and for individual variables.

Value

A px object, a character string, a data frame, or a list of character strings and/or data frames.

See Also

[Statistics Sweden's documentation](#)

Examples

```
library(tibble)

# Set NOTEX for entire PX-file
x1 <-
  px(population_gl) |>
  px_notex('Note about PX-file')

# Print NOTEX
px_notex(x1)

# Set NOTEX for entire PX-file in multiple languages
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_notex(tribble(~language, ~value,
```



```

        'en', 'English notex',
        'kl', 'Kalaallisut notex'
      )
    )
  px_notex(x2)

  # Set NOTEX for variables
  x3 <-
    x1 |>
    px_notex(tribble(~`variable-code`, ~notex,
                    'year', 'Some data collected in following year',
                    'age', 'Is rounded down'
                  )
            )
  px_notex(x3)

  # Remove all NOTEXs
  x4 <- px_notex(x3, NULL)

```

px_official_statistics

OFFICIAL-STATISTICS

Description

Inspect or change OFFICIAL-STATISTICS.

Usage

```
px_official_statistics(x, value, validate)
```

```
## S3 method for class 'px'
```

```
px_official_statistics(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current OFFICIAL-STATISTICS is returned. If NULL, OFFICIAL-STATISTICS is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set OFFICIAL-STATISTICS
x1 <-
  px(population_gl) |>
  px_official_statistics('YES')

# Print OFFICIAL-STATISTICS
px_official_statistics(x1)

# Remove OFFICIAL-STATISTICS
x2 <- px_official_statistics(x1, NULL)
px_official_statistics(x2)
```

px_order

Change value order

Description

Inspect or change ORDER.

Usage

```
px_order(x, value, validate)

## S3 method for class 'px'
px_order(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A data frame with the columns 'order' and one or more of the columns: 'variable-code', and 'code'. If 'value' is missing, the current ORDER is returned. If NULL, ORDER is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or data frame.

Examples

```

# Set ORDER for a variable
library(tibble)
x1 <-
  population_gl |>
  px() |>
  px_order(tribble(~`variable-code`, ~order,
                  'gender', 8))

# Print ORDER
px_order(x1)

# Set ORDER for a value
x2 <-
  x1 |>
  px_order(tribble(~`variable-code`, ~code, ~order,
                  'age', '2004', 9))
px_order(x2)

# Remove ORDER
x3 <- px_order(x2, NULL)
px_order(x3)

```

px_precision	<i>PRECISION</i>
--------------	------------------

Description

Inspect or change PRECISION.

Usage

```

px_precision(x, value, validate)

## S3 method for class 'px'
px_precision(x, value, validate = TRUE)

```

Arguments

x	A px object
value	Optional. A data frame with the columns 'precision' and one or more of the columns: 'variable-code', and 'code'. If 'value' is missing, the current PRECISION is returned. If NULL, PRECISION is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be useful for large px objects where the check can be time consuming. Use px_validate() to manually perform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set PRECISION for a variable
library(tibble)
x1 <-
  population_gl |>
  px() |>
  px_precision(tribble(~`variable-code`, ~precision,
                      'gender', 2))

# Print PRECISION
px_precision(x1)

# Set PRECISION for a value
x2 <-
  x1 |>
  px_precision(tribble(~`variable-code`, ~code, ~precision,
                      'age', '2004', 3))
px_precision(x2)

# Remove PRECISION
x3 <- px_precision(x2, NULL)
px_precision(x3)
```

px_save

Save px object to file

Description

Save px object to file

Usage

```
px_save(x, path, save_data = TRUE, data_path = NULL)
```

Arguments

x A px object.

path Path to file. The file extension determines the format. Can be:

- .px to save as a PX-file
- .xlsx to save as an Excel workbook

	<ul style="list-style-type: none"> • .R to save an R-script that creates the px object
save_data	If FALSE, no 'Data' sheet is created in the Excel workbook. Can only be used if path is an .xlsx file.
data_path	Path to an .rds or .parquet file to save data table at. Can only be used if path is an .xlsx or .R file, and save_data is TRUE.

Details

Use `px_codepage()` to change file encoding.

Value

Nothing

See Also

[px_codepage\(\)](#)

Examples

```
# Save px object to PX-file
tmp_dir <- tempdir()

x <- px(population_gl)

px_save(x, file.path(tmp_dir, "population.px"))

# Save px object to Excel workbook
px_save(x, file.path(tmp_dir, "population.xlsx"))

# Save px object as R-script that creates the px object
px_save(x, file.path(tmp_dir, "population.R"))
```

px_save_classification

Save classification as .vs and .agg files

Description

Save a classification object as .vs and .agg files. The .vs file contains the value set and the .agg files contain the aggregations.

Usage

```
px_save_classification(c, path)
```

Arguments

c	A classification object
path	Directory to save the files in

Value

Nothing.

Examples

```
# Save classification as .vs as .agg files
c <- px_classification(name = "Age5",
  prextext = "Ages 0-9 - 60+",
  domain = "age",
  df = age_classification
)

px_save_classification(c, path = tempdir())
```

px_showdecimals	<i>SHOWDECIMALS</i>
-----------------	---------------------

Description

Inspect or change *SHOWDECIMALS*.

Usage

```
px_showdecimals(x, value, validate)

## S3 method for class 'px'
px_showdecimals(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current <i>SHOWDECIMALS</i> is returned. If <i>NULL</i> , <i>SHOWDECIMALS</i> is removed.
validate	Optional. If <i>TRUE</i> a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If <i>FALSE</i> , the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set SHOWDECIMALS
x1 <-
  px(population_g1) |>
  px_showdecimals('2')

# Print SHOWDECIMALS
px_showdecimals(x1)

# Remove SHOWDECIMALS
x2 <- px_showdecimals(x1, NULL)
px_showdecimals(x2)
```

px_source

SOURCE

Description

Inspect or change SOURCE.

Usage

```
px_source(x, value, validate)

## S3 method for class 'px'
px_source(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current SOURCE is returned. If NULL, SOURCE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set SOURCE for all languages
x1 <-
  px(population_gl) |>
  px_source('Statistics Greenland')

# Print SOURCE
px_source(x1)

# Set SOURCE for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_source(tribble(~language, ~value,
                    'en', 'Statistics Greenland',
                    'kl', 'Naatsorsueqqissaartarfik'))

px_source(x2)

# Remove SOURCE
x3 <- px_source(x2, NULL)
px_source(x3)
```

px_stockfa

STOCKFA

Description

Inspect or change STOCKFA.

Usage

```
px_stockfa(x, value, validate)

## S3 method for class 'px'
px_stockfa(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current STOCKFA is returned. If NULL, STOCKFA is removed.

`validate` Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use `px_validate()` to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set STOCKFA for all languages
x1 <-
  px(population_gl) |>
  px_stockfa('S')

# Print STOCKFA
px_stockfa(x1)

# Set STOCKFA for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_stockfa(tribble(~language, ~value,
                    'en', 'S',
                    'kl', 'F'))

px_stockfa(x2)

# Remove STOCKFA
x3 <- px_stockfa(x2, NULL)
px_stockfa(x3)
```

px_stub

STUB

Description

Inspect or change STUB.

Usage

```
px_stub(x, value, validate)
```

```
## S3 method for class 'px'
px_stub(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character vector of variable names to change to STUB. This also changes the STUB order. With names in variables becoming 1, 2, ... If missing, the current STUB variables are returned.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or a character vector.

See Also

[Statistics Sweden's documentation](#)

[px_heading](#) [px_figures](#)

Examples

```
x1 <- px(population_g1)
# Print STUB
px_stub(x1)
# Add 'year' to STUB
x2 <- px_stub(x1, 'year')
px_stub(x2)

# Change order of STUB
x3 <- px_stub(x2, c('age', 'gender'))
px_stub(x3)
```

px_subject_area

SUBJECT-AREA

Description

Inspect or change SUBJECT-AREA.

Usage

```
px_subject_area(x, value, validate)
```

```
## S3 method for class 'px'
```

```
px_subject_area(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current SUBJECT-AREA is returned. If NULL, an error is thrown because SUBJECT-AREA cannot be removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set SUBJECT-AREA for all languages
x1 <-
  px(population_gl) |>
  px_subject_area('Population')

# Print SUBJECT-AREA
px_subject_area(x1)

# Set SUBJECT-AREA for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_subject_area(tribble(~language, ~value,
                        'en', 'Population',
                        'kl', 'Innuttaasut'))
px_subject_area(x2)
```

px_subject_code	<i>SUBJECT-CODE</i>
-----------------	---------------------

Description

Inspect or change SUBJECT-CODE.

Usage

```
px_subject_code(x, value, validate)

## S3 method for class 'px'
px_subject_code(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current SUBJECT-CODE is returned. If NULL, an error is thrown because SUBJECT-CODE cannot be removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set SUBJECT-CODE
x1 <-
  px(population_g1) |>
  px_subject_code('POP')

# Print SUBJECT-CODE
px_subject_code(x1)
```

px_tableid

TABLEID

Description

Inspect or change TABLEID.

Usage

```
px_tableid(x, value, validate)

## S3 method for class 'px'
px_tableid(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current TABLEID is returned. If NULL, TABLEID is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set TABLEID
x1 <-
  px(population_g1) |>
  px_tableid('POPL')

# Print TABLEID
px_tableid(x1)

# Remove TABLEID
x2 <- px_tableid(x1, NULL)
px_tableid(x2)
```

px_timeval

TIMEVAL

Description

Inspect or change TIMEVAL.

There can only be one time variable.

Usage

```
px_timeval(x, value, validate)

## S3 method for class 'px'
px_timeval(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current TIMEVAL is returned. If NULL, TIMEVAL is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set TIMEVAL
x1 <-
  px(population_g1) |>
  px_timeval('year')

# Print TIMEVAL
px_timeval(x1)

# Remove TIMEVAL
x2 <- px_timeval(x1, NULL)
px_timeval(x2)
```

px_title

TITLE

Description

Inspect or change TITLE.

TITLE can only be removed if DESCRIPTION is set.

Usage

```
px_title(x, value, validate)

## S3 method for class 'px'
px_title(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current TITLE is returned. If NULL, TITLE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

`px_description()`

Examples

```
# Set TITLE for all languages
x1 <-
  px(population_gl) |>
  px_title('Population GR')

# Print TITLE
px_title(x1)

# Set TITLE for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_title(tribble(~language, ~value,
                  'en', 'Population GR',
                  'kl', 'Innuttaasut KL'))

px_title(x2)
```

px_units

UNITS

Description

Inspect or change UNITS.

Usage

```
px_units(x, value, validate)

## S3 method for class 'px'
px_units(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string to set the value for all languages or a data frame with columns 'language' and 'value' to set it for specific languages. If 'value' is missing, the current UNITS is returned. If NULL, an error is thrown because UNITS cannot be removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object, a character string, or a data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set UNITS for all languages
x1 <-
  px(population_gl) |>
  px_units('persons')

# Print UNITS
px_units(x1)

# Set UNITS for individual languages
library(tibble)
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_units(tribble(~language, ~value,
                  'en', 'persons',
                  'kl', 'inuit amerlassusaat'))

px_units(x2)
```

px_update_frequency *UPDATE-FREQUENCY*

Description

Inspect or change UPDATE-FREQUENCY.

Usage

```
px_update_frequency(x, value, validate)

## S3 method for class 'px'
px_update_frequency(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A character string. If missing, the current UPDATE-FREQUENCY is returned. If NULL, UPDATE-FREQUENCY is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or a character string.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set UPDATE-FREQUENCY
x1 <-
  px(population_g1) |>
  px_update_frequency('Yearly')

# Print UPDATE-FREQUENCY
px_update_frequency(x1)

# Remove UPDATE-FREQUENCY
x2 <- px_update_frequency(x1, NULL)
px_update_frequency(x2)
```

px_validate	<i>Check px object</i>
-------------	------------------------

Description

Runs a number of checks on px object to see if it is valid.

Usage

```
px_validate(x)
```

Arguments

x A supposed px object.

Details

This check is run by default by all px_* functions, but can be skipped by using `validate = FALSE`. This can be useful on large px objects where the checks are time consuming. Instead of validating on every modifying function `px_validate()` can be run as the final step to validate the object.

Value

A valid px object.

Examples

```
# Turn off validation for modifying functions, and manually
# run validation as final step in creating px object.
x1 <-
  px(population_gl, validate = FALSE) |>
  px_title("Test", validate = FALSE) |>
  px_validate()
```

px_valuenote	<i>VALUENOTE</i>
--------------	------------------

Description

Inspect or change VALUENOTE.

Usage

```
px_valuenote(x, value, validate)

## S3 method for class 'px'
px_valuenote(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A data frame with the columns 'valuenote' and one or more of the columns: 'variable-code', 'code', and 'language'. If 'value' is missing, the current VALUENOTE is returned. If NULL, VALUENOTE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set VALUENOTE for a value
library(tibble)
x1 <-
  population_gl |>
  px() |>
  px_valuenote(
    tribble(~`variable-code`, ~code, ~valuenote,
            'year', '2004', 'Counts are approximated'))

# Print VALUENOTE
px_valuenote(x1)

# Set VALUENOTE for a value in specific language
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_valuenote(
    tribble(~`variable-code`, ~code, ~language, ~valuenote,
            'age', '0-6', 'en', 'Some of the figures are from 2003',
            'age', '0-6', 'kl', 'Kisitsisit ilaat 2003-imeersuupput'))
px_valuenote(x2)

# Remove VALUENOTE
x3 <- px_valuenote(x2, NULL)
px_valuenote(x3)
```

px_valuenotex	<i>VALUENOTEX</i>
---------------	-------------------

Description

Inspect or change VALUENOTEX.

Usage

```
px_valuenotex(x, value, validate)

## S3 method for class 'px'
px_valuenotex(x, value, validate = TRUE)
```

Arguments

x	A px object
value	Optional. A data frame with the columns 'valuenotex' and one or more of the columns: 'variable-code', 'code', and 'language'. If 'value' is missing, the current VALUENOTEX is returned. If NULL, VALUENOTEX is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be useful for large px objects where the check can be time consuming. Use px_validate() to manually perform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
# Set VALUENOTEX for a value
library(tibble)
x1 <-
  population_gl |>
  px() |>
  px_valuenotex(
    tribble(~`variable-code`, ~code, ~valuenotex,
            'year', '2004', 'Counts are approximated'))

# Print VALUENOTEX
px_valuenotex(x1)

# Set VALUENOTEX for a value in specific language
```

```

x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_valuenotex(
    tribble(~`variable-code`, ~code, ~language, ~valuenotex,
            'age', '0-6', 'en', 'Some of the figures are from 2003',
            'age', '0-6', 'kl', 'Kisitsisit ilaat 2003-imeersuupput'))
px_valuenotex(x2)

# Remove VALUENOTEX
x3 <- px_valuenotex(x2, NULL)
px_valuenotex(x3)

```

px_values	VALUES
-----------	--------

Description

Inspect or change VALUES.

Usage

```

px_values(x, value, validate)

## S3 method for class 'px'
px_values(x, value, validate = TRUE)

```

Arguments

x	A px object
value	Optional. A data frame with the columns 'values' and one or more of the columns: 'variable-code', 'code', and 'language'. If 'value' is missing, the current VALUES is returned. If NULL, VALUES is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use px_validate() to manually preform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```

# Set VALUES for a value
library(tibble)
x1 <-
  population_gl |>
  px() |>
  px_values(
    tribble(~`variable-code`, ~code, ~values,
            'year', '2004', 'Year 2024'))

# Print VALUES
px_values(x1)

# Set VALUES for a value in specific language
x2 <-
  x1 |>
  px_languages(c('en', 'kl')) |>
  px_values(
    tribble(~`variable-code`, ~code, ~language, ~values,
            'age', '0-6', 'en', 'toddler',
            'age', '0-6', 'kl', 'meeraqqap'))
px_values(x2)

# Remove VALUES
x3 <- px_values(x2, NULL)
px_values(x3)

```

px_variable_label *Change VARIABLE-LABEL*

Description

Inspect or change VARIABLE-LABEL.
 The variable label is the name that is shown in the PX-file.

Usage

```

px_variable_label(x, value, validate)

## S3 method for class 'px'
px_variable_label(x, value, validate = TRUE)

```

Arguments

x	A px object
value	Optional. A character string or data frame. <ul style="list-style-type: none"> Use character to set VARIABLE-LABEL for all languages and STUB/HEADING variables.

- Use data frame with columns 'variable-code', 'language' and 'variable-label' to set VARIABLE-LABEL for specific variables.
 - If missing, the current VARIABLE-LABEL is returned.
 - If NULL, VARIABLE-LABEL is removed for all variables.
- validate Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use `px_validate()` to manually preform the check.

Value

A px object, a character string, or a data frame.

Examples

```
# Set VARIABLE-LABEL for individual variables
library(tibble)
x1 <-
  px(population_gl) |>
  px_variable_label(tribble(~`variable-code`, ~`variable-label`,
                           'gender',      'Gender',
                           'age',         'Age'))
px_variable_label(x1)

# Set VARIABLE-LABEL for individual languages
x2 <-
  x1 %>%
  px_languages(c('en', 'kl')) |>
  px_variable_label(tribble(~`variable-code`, ~language, ~`variable-label`,
                           'gender',      'en',      'Gender',
                           'gender',      'kl',      'Suiassuseq',
                           'age',         'en',      'Age',
                           'age',         'kl',      'Ukiut'))
px_variable_label(x2)

# Remove VARIABLE-LABEL
x3 <- px_variable_label(x2, NULL)
px_variable_label(x3)
```

px_variable_type	<i>VARIABLE-TYPE</i>
------------------	----------------------

Description

Inspect or change VARIABLE-TYPE.

Usage

```
px_variable_type(x, value, validate)

## S3 method for class 'px'
px_variable_type(x, value, validate = TRUE)
```

Arguments

x	A px object
value	A data frame with columns 'variable-code' and 'variable-type'. If value is missing, the current VARIABLE-TYPE is returned. If NULL, all VARIABLE-TYPE is removed.
validate	Optional. If TRUE a number of validation checks are performed on the px object, and an error is thrown if the object is not valid. If FALSE, the checks are skipped, which can be usefull for large px objects where the check can be time consuming. Use <code>px_validate()</code> to manually preform the check.

Value

A px object or data frame.

See Also

[Statistics Sweden's documentation](#)

Examples

```
library(tibble)

# Set VARIABLE-TYPE
x1 <-
  px(population_gl) |>
  px_variable_type(tibble('variable-code' = 'year', 'variable-type' = 'time'))

# Print VARIABLE-TYPE
px_variable_type(x1)

# Remove VARIABLE-TYPE
x2 <- px_variable_type(x1, NULL)
px_variable_type(x2)
```


Index

- * **datasets**
 - age_classification, 3
 - greenlanders, 4
 - population_gl, 4
 - px_keywords, 36
- age_classification, 3
- greenlanders, 4
- population_gl, 4
- px, 5
- px_add_totals, 6
- px_aggregallowed, 7
- px_autopen, 8
- px_axis_version, 9
- px_baseperiod, 10
- px_cellnote, 11
- px_cellnotex, 13
- px_cfprices, 14
- px_charset, 15
- px_classification, 16
- px_codepage, 18
- px_codepage(), 53
- px_confidential, 19
- px_contact, 20
- px_contents, 22
- px_contvariable, 23
- px_copyright, 24
- px_creation_date, 25
- px_data, 26
- px_decimals, 27
- px_description, 28
- px_description(), 63
- px_descriptiondefault, 29
- px_domain, 30
- px_elimination, 6, 31
- px_figures, 33, 34, 58
- px_heading, 33, 34, 58
- px_infofile, 35
- px_keywords, 36
- px_language, 37, 38
- px_languages, 37, 38
- px_last_updated, 39
- px_link, 40
- px_map, 41
- px_matrix, 43
- px_micro, 44
- px_next_update, 45
- px_note, 46
- px_notex, 47
- px_official_statistics, 49
- px_order, 50
- px_order(), 26
- px_precision, 51
- px_save, 52
- px_save(), 19
- px_save_classification, 53
- px_save_classification(), 17
- px_showdecimals, 54
- px_source, 55
- px_stockfa, 56
- px_stub, 33, 34, 57
- px_subject_area, 58
- px_subject_code, 59
- px_tableid, 60
- px_timeval, 61
- px_title, 62
- px_title(), 28
- px_units, 63
- px_update_frequency, 65
- px_validate, 66
- px_validate(), 5–10, 12–14, 16, 19–30, 32–35, 37–40, 42, 43, 45, 46, 48–51, 54, 55, 57–65, 67–69, 71, 72
- px_valuenote, 66
- px_valuenotex, 68
- px_values, 69
- px_variable_label, 70

`px_variable_type`, [71](#)