

BSgenome.Ptroglodytes.UCSC.panTro2

October 16, 2009

Ptroglodytes

Pan troglodytes (Chimp) full genome (UCSC version panTro2)

Description

Pan troglodytes (Chimp) full genome as provided by UCSC (panTro2, Mar. 2006) and stored in Biostrings objects.

Note

This BSgenome data package was made from the following source data files:

```
sequences: chromFa.tar.gz, upstream1000.fa.gz, upstream2000.fa.gz, upstream5000.
from http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/
AGAPS masks: gap.txt.gz from ftp://hgdownload.cse.ucsc.edu/goldenPath/panTro2/da
RM masks: http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/chromOut.tar
TRF masks: http://hgdownload.cse.ucsc.edu/goldenPath/panTro2/bigZips/chromTrf.ta
```

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

Author(s)

H. Pages

See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

Examples

```
Ptroglodytes
seqlengths(Ptroglodytes)
Ptroglodytes$chr1 # same as Ptroglodytes[["chr1"]]

if ("AGAPS" %in% masknames(Ptroglodytes)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
```

```
## Replace all masks by the inverted AGAPS mask
masks(seq) <- gaps(masks(seq) ["AGAPS"])
unique_letters <- uniqueLetters(seq)
if (any(unique_letters != "N"))
  stop("assembly gaps contain more than just Ns")
}

## A message will be printed each time a sequence is removed
## from the cache:
options(verbose=TRUE)

for (seqname in seqnames(Ptroglydytes)) {
  cat("Checking sequence", seqname, "... ")
  seq <- Ptroglydytes[[seqname]]
  checkOnlyNsInGaps(seq)
  cat("OK\n")
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

Index

*Topic **data**

`Ptroglogytes`, [1](#)

*Topic **package**

`Ptroglogytes`, [1](#)

`available.genomes`, [1](#)

`BSgenome-class`, [1](#)

`BSgenome.Ptroglogytes.UCSC.panTro2`
(`Ptroglogytes`), [1](#)

`BSgenome.Ptroglogytes.UCSC.panTro2-package`
(`Ptroglogytes`), [1](#)

`BSgenomeForge`, [1](#)

`DNAStrng-class`, [1](#)

`Ptroglogytes`, [1](#)