NAME

psresize − multiple pages per sheet

SYNOPSIS

psresize [**−w***width*] [**−h***height*] [**−p***paper*] [**−W***width*] [**−H***height*] [**−P***paper*] [**−q**] [*infile* [*outfile*]]

DESCRIPTION

Psresize rescales and centres a document on a different size of paper. The input PostScript file should follow the Adobe Document Structuring Conventions.

The *−w* option gives the output paper width, and the *−h* option gives the output paper height, normally specified in **cm** or **in** to convert PostScript's points (1/72 of an inch) to centimeters or inches. The *−p* option can be used as an alternative, to set the output paper size to **a3, a4, a5, b5, letter, legal, tabloid, statement, executive, folio, quarto** or **10x14.** The default output paper size is **a4.**

The *−W* option gives the input paper width, and the *−H* option gives the input paper height. The *−P* option can be used as an alternative, to set the input paper size. The default input paper size is **a4.**

Psresize normally prints the page numbers of the pages output; the *−q* option suppresses this.

EXAMPLES

The following command can be used to convert a document on A4 size paper to letter size paper:

```
psresize -PA4 -pletter in.ps out.ps
```

AUTHOR

SEE ALSO

psbook(1), psselect(1), pstops(1), epsffit(1), psnup(1), psresize(1), psmerge(1), fixscribeps(1), getafm(1), fixdlsrps(1), fixfmps(1), fixmacps(1), fixpsditps(1), fixpspps(1), fixtpps(1), fixwfwps(1), fixwpps(1), fixwwps(1), extractres(1), includeres(1)

TRADEMARKS

PostScript is a trademark of Adobe Systems Incorporated.

BUGS

Psresize does not accept all DSC comments.